



CENTER LINE DATA			
NO.	DELTA OR BRG.	RADIUS(R)	LENGTH(L)
1	N34°39'26\"/>	447.13	CL MYERS STREET

CURB DATA			
NO.	DELTA OR BRG.	RADIUS(R)	LENGTH(L)
1	N34°31'24\"/>	5.00	6\"/>
2	29°51'59\"/>	5	2.61
3	N04°39'26\"/>	3.20	*
4	30°00'00\"/>	5	2.62
5	N34°39'26\"/>	3.56	*
6	89°58'01\"/>	15	23.55
7	N34°39'26\"/>	5.01	*

STORM DRAIN DATA			
NO.	DELTA OR BRG.	RADIUS(R)	LENGTH(L)
1	N08°08'11\"/>	87.24	18\"/>
2	N34°39'26\"/>	34.00	30\"/>
3	N55°22'11\"/>	20.99	*

**CAUTION !!!**  
EXIST. UNDERGROUND UTILITIES AND FACILITIES SHOWN ON THESE PLANS HAVE BEEN OBTAINED FROM AVAILABLE RECORDS AND ARE SCHEMATIC IN NATURE. THE PLANS MAY NOT REFLECT ALL EXISTING UTILITIES. CONTRACTOR TO CONFIRM LOCATIONS OF ALL EXISTING UTILITIES PRIOR TO START OF WORK AND NOTIFY ENGINEER OF WORK OF ANY DISCREPANCIES.

- CONSTRUCTION NOTES**
- EXIST. 2" HP GAS LINE TO BE RELOCATED IN PROPOSED UTILITY TRENCH PER SEPARATE PLANS.
  - EXIST. FIBER OPTIC LINE TO BE RELOCATED IN PROPOSED UTILITY TRENCH PER SEPARATE PLANS.
  - EXIST. 12" HP GAS LINE TO REMAIN. PROTECT IN PLACE.
  - NOT USED.
  - EXIST. SIDEWALK TO REMAIN.
  - PEDESTRIAN RAMP PER G-27, MODIFIED: "LANDING" AND HORIZONTAL "TRANSITION AREA" AT SIDEWALK LEVEL OUTSIDE OF SCORED "BORDER" TO BE CONSTRUCTED WITH 3" AC ON COMPACTED NATIVE BASE.
  - ADJUST TO GRADE EXIST. SEWER MANHOLE IF NEEDED.
  - MYERS STREET TO BE CONSTRUCTED WITH 5" AC ATOP 7" OF CLASS II A.B.
  - ADJUST TO GRADE EXIST. GATE VALVE IF NEEDED.
  - RELOCATE EXISTING STREET LIGHT TO BACK OF NEW CURB BY OTHERS.
  - EXIST. POWER POLE TO REMAIN. PROTECT IN PLACE.
  - PROVIDE A CAPPED JOINT PER CITY STANDARDS WHERE ALL NEW PAVING JOINS EXISTING PAVING. (OCEANSIDE ENGINEERS MANUAL 3.19.A)
  - EXISTING SIDEWALK UNDERDRAINS PER RSD D-27 TO REMAIN.
  - EXIST. SIDEWALK TO BE REMOVED AND REPLACE WITH 3" AC SIDEWALK ON COMPACTED NATIVE BASE.
  - EXIST. BOLLARD TO REMAIN.
  - EXIST. FIRE HYDRANT TO REMAIN. PROTECT IN PLACE.
  - EXIST. SIGNAL CABINET TO REMAIN.
  - EXIST. TRANSFORMER TO REMAIN.
  - EXIST. CROSS GUTTER TO BE REMOVED.
  - EXIST. STOP SIGN TO REMAIN.
  - EXIST. WATER METER TO REMAIN. PROTECT IN PLACE.
  - EXIST. TREE TO REMAIN.
  - PROPOSED TRUNCATED DOMES PER SORS SDG-130.
  - CONTRACTOR TO REMOVE AND REPLACE EXIST. CURB AND GUTTER AS NEEDED TO CONSTRUCT PROPOSED STORM DRAIN SYSTEM.



CIP00024		E-5-08	
SHEET 3	CITY OF OCEANSIDE ENGINEERING DEPARTMENT	10 SHEETS	
PUBLIC STORM DRAIN AND MYERS STREET IMPROVEMENT PLANS			
<b>MYERS STREET &amp; STORM DRAIN 'A'</b>			
STA. 9+22.46 TO STA. 10+53.00			
APPROVED		7-22-10	
SCOTT O'BRIEN SMITH		R.C.E. 58655	
ENGINEER OF WORK		CITY ENGINEER	
Lisa M. Leneck		Checked By: 7/21/10	
Approved Dpt: 7/21/10		PLAN NUMBER CIP00024	

**PROJECT DESIGN CONSULTANTS**  
Planning | Landscape Architecture | Engineering | Survey

701 B Street, Suite 800  
San Diego, CA 92101  
619.236.6471 Tel  
619.234.0348 Fax

DESIGNED BY: VA	PM REVIEW: NW	DRAINAGE REVIEW: NW	SURVEY REVIEW: NW
-----------------	---------------	---------------------	-------------------