

**Appendix B:**  
**Road Construction Emissions Model Results**



Road Construction Emissions Model, Version 9.0.0

Daily Emission Estimates for -> Coastal Rail Trail Bridge Project														
Project Phases (Pounds)	ROG (lbs/day)	CO (lbs/day)	NOx (lbs/day)	PM10 (lbs/day)	Exhaust PM10 (lbs/day)	Fugitive Dust PM10 (lbs/day)	Total PM2.5 (lbs/day)	Exhaust PM2.5 (lbs/day)	Fugitive Dust PM2.5 (lbs/day)	SOx (lbs/day)	CO2 (lbs/day)	CH4 (lbs/day)	N2O (lbs/day)	CO2e (lbs/day)
Grubbing/Land Clearing	1.00	9.72	10.71	50.46	0.46	50.00	10.80	0.40	10.40	0.02	2,340.37	0.58	0.08	2,378.90
Grading/Excavation	6.37	51.47	69.10	52.84	2.84	50.00	12.94	2.54	10.40	0.13	12,404.41	3.59	0.20	12,554.08
Drainage/Utilities/Sub-Grade	5.56	47.29	57.64	52.37	2.37	50.00	12.57	2.17	10.40	0.11	10,589.76	2.72	0.14	10,699.95
Paving	0.93	12.86	9.11	0.47	0.47	0.00	0.41	0.41	0.00	0.02	2,247.43	0.56	0.06	2,280.30
Maximum (pounds/day)	6.37	51.47	69.10	52.84	2.84	50.00	12.94	2.54	10.40	0.13	12,404.41	3.59	0.20	12,554.08
Total (tons/construction project)	0.94	7.93	9.95	8.83	0.41	8.42	2.12	0.37	1.75	0.02	1,829.39	0.50	0.03	1,850.62

Notes:  
 Project Start Year -> 2022  
 Project Length (months) -> 18  
 Total Project Area (acres) -> 12  
 Maximum Area Disturbed/Day (acres) -> 5  
 Water Truck Used? -> Yes

Phase	Total Material Imported/Exported Volume (yd <sup>3</sup> /day)		Daily VMT (miles/day)			
	Soil	Asphalt	Soil Hauling	Asphalt Hauling	Worker Commute	Water Truck
Grubbing/Land Clearing	38	0	60	0	200	40
Grading/Excavation	44	0	90	0	1,120	40
Drainage/Utilities/Sub-Grade	1	0	30	0	720	40
Paving	0	8	0	30	320	40

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.  
 Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.  
 CO2e emissions are estimated by multiplying mass emissions for each GHG by its global warming potential (GWP), 1, 25 and 298 for CO2, CH4 and N2O, respectively. Total CO2e is then estimated by summing CO2e estimates over all GHGs.

Total Emission Estimates by Phase for -> Coastal Rail Trail Bridge Project														
Project Phases (Tons for all except CO2e. Metric tonnes for CO2e)	ROG (tons/phase)	CO (tons/phase)	NOx (tons/phase)	PM10 (tons/phase)	Exhaust PM10 (tons/phase)	Fugitive Dust PM10 (tons/phase)	Total PM2.5 (tons/phase)	Exhaust PM2.5 (tons/phase)	Fugitive Dust PM2.5 (tons/phase)	SOx (tons/phase)	CO2 (tons/phase)	CH4 (tons/phase)	N2O (tons/phase)	CO2e (MT/phase)
Grubbing/Land Clearing	0.02	0.19	0.21	1.00	0.01	0.99	0.21	0.01	0.21	0.00	46.34	0.01	0.00	42.73
Grading/Excavation	0.50	4.08	5.47	4.18	0.22	3.96	1.02	0.20	0.82	0.01	982.43	0.28	0.02	902.01
Drainage/Utilities/Sub-Grade	0.39	3.28	3.99	3.63	0.16	3.47	0.87	0.15	0.72	0.01	733.87	0.19	0.01	672.69
Paving	0.03	0.38	0.27	0.01	0.01	0.00	0.01	0.01	0.00	0.00	66.75	0.02	0.00	61.44
Maximum (tons/phase)	0.50	4.08	5.47	4.18	0.22	3.96	1.02	0.20	0.82	0.01	982.43	0.28	0.02	902.01
Total (tons/construction project)	0.94	7.93	9.95	8.83	0.41	8.42	2.12	0.37	1.75	0.02	1,829.39	0.50	0.03	1,678.87

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.  
 Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.  
 CO2e emissions are estimated by multiplying mass emissions for each GHG by its global warming potential (GWP), 1, 25 and 298 for CO2, CH4 and N2O, respectively. Total CO2e is then estimated by summing CO2e estimates over all GHGs.  
 The CO2e emissions are reported as metric tons per phase.

